

## **Rob Beezer**

U of Puget Sound

beezer@ups.edu

### **Electronic Textbooks and Articles**





# **Authoring Structured Scholarly Documents SL2X and MathBook XML**

**David Farmer** American Institute of Mathematics farmer@aimath.org

### SL2X

- "Structured LATEX to XML"
- Analyze & discern structure of
- Reassemble document with expl
- Output formats: HTML, MathBo

### MathBook 2

- Authoring language, using XMI
- Designed to be easy and natural
- LATEX syntax for mathematics
- Output: HTML, shared with SL
- Output: SageMathCloud works
- Output: LATEX, especially for pri
- Output: Sage Notebook, iPythc
- GPL license, mathbook.puge

#### Webpage Ou

- MathJax for hi-fidelity typograph
- Responsive design for mobile of
- Much greater interactivity than
- Knowls for cross-referenced mage
- Embedded Sage Cells with zer
- Add computations to research
- Embed GeoGebra, WeBWork,
- Embed video and other media

	One Source, Multiple Output Formats
	<ul> <li>Mozilla Firefox</li> <li><u>File Edit View History Bookmarks Tools H</u>elp</li> </ul>
INT-V doouwoot	file:///homemos/MR.html ×
AIEX document	2 A Matrix Representation. Old Style
cit structure	We will coordinatize the outputs of the linear transformation for inputs from the basis
< XML	of the domain, relative to the basis of the codomain, and pack them in a matrix.
	Outputs on the domain basis first.
	1     outputs = [T(b) for b in D]       2     outputs
	☑ Syntax Highlighting
untax	
	(5, 14, -9, -6), (26, 41, -16, -34),
or authors	(7, 19, -7, -2), (36, 59, -29, -53),
	(20, 25, -11, -33)]
	Powered by
oto	Math 290A, Spring 2014, LaTeX and Sage - Mozilla Firefox
こう	File Edit View History Bookmarks Tools Help     Math 290A, Spring 20 ×      A https://cloud.sagemath.com/projects/23f889c0-9f25-47e1-890f-7ef633840cc4/files/Math290S14/sage/MR-demo-inclass.sagews    C       C
	Help       Projects       290 Strictly Testing       X       X Math 290A, Spring 201.X
EPUB	Files       Image: New       Image: Log       Image: Classical state of the s
ound odu	68 2 A Matrix Representation, Old Style
Ourra. Euu	We will coordinatize the outputs of the linear transformation, for inputs from the basis of the domain, relative to the basis of the codomain, and pattern in a matrix
	73 76 Outputs on the domain basis first
	77 78 $outputs = [T(b) for b in D]$
	79 outputs 80 81 [
	(-5, -18, 10, 2), (5, 14, -9, -6), (26, 41, -16, -34), (7, 19, -7, -2),
	(36, 59, -29, -53), (20, 25, -11, -33) ]
ices	
nt	2 A Matrix Representation, Old Style
rial	We will coordinatize the outputs of the linear transformation, for inputs from
nai	basis of the domain, relative to the basis of the codomain, and pack them is
set-up	Outputs on the domain basis first.
cles	outputs = [T(b) <b>for</b> b <b>in</b> D]
······	outputs
upi	[(-5, -18, 10, 2),
	(5, 14, -9, -6), (26, 41, -16, -34),
	(7, 19, -7, -2), (36, 59, -29, -53),
	(20, 25, -11, -33)]



# Tom Judson

#### Stephen F. Austin State University

judsontw@sfasu.edu